

SHINANO

QUALITY JAPANESE TOOLS

November 2024 - February 2025 Prices include GST.

Impact Wrenches

1/2" Compact Impact Wrench

- 3 Position forward torque selector dial beneath trigger
- Full-time maximum torque in reverse
- Forward/Reverse toggle switch
- Responsive 8 vane motor
- Feather touch trigger

112 MM HEAD LENGTH
(Including Anvil)

Max Torque: 550 Ft/lbs
Free Speed: 9,000 RPM
Bolt Cap: 16 MM
Weight: 1.17 Kg

\$349

PN: SI1455SR



1/2" Impact Wrench

- Responsive 8 vane motor
- Forward/Reverse selector
- 4 position speed selector
- Feather touch trigger
- Twin Hammer

\$489

PN: SI1490B



Max Torque: 627 Ft/lbs
Free Speed: 8,500 RPM
Bolt Cap: 20 MM
Weight: 1.9 Kg

3/4" Impact Wrench

- Forward/Reverse selector
- 4 position speed selector
- Twin Hammer

Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 218 MM
Weight: 3.25 Kg

\$899

PN: SI1550

- Forward/Reverse selector
- 4 position speed selector
- Twin Hammer

1" Impact Wrench

- Forward/Reverse selector
- 4 position speed selector
- Twin Hammer

Max Torque: 1,217 Ft/lbs
Bolt Cap: 24 MM
Length: 220 MM
Weight: 3.5 Kg

\$1,189

PN: SI1555SR



Full-Time Max. Torque in Reverse!
(SI1555SR Only)

1/2" DRIVE SOCKET SETS



HOT PRICE! \$99 EA

13 Piece Metric
PN: GX1312SSM

Sizes: 10, 12, 13, 14, 15, 17, 18, 19, 21, 22, 24, 27 & 30 mm

13 Piece Imperial
PN: GX1312SSI

Sizes 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8 & 1-1/4"

Hammering Tools

10.2 MM Pistol Grip Air Hammer
Length: 208 MM
Impact Rate: 2,600 BPM
Weight: 1.60 Kg

\$299

PN: SI4120A



Spring Retainer
Suits most hammers.



\$19

PN: GPA70X2

20 MM Flat Chisel
Shank Dia.: 10.2 MM



\$41

PN: SI810

60 MM Paint Scraper Chisel
Shank Dia.: 10.2 MM



\$76

PN: SI823

Belt Sanders

10 MM Belt Sander

- 160° adjustable sanding arm
- Includes 6, 10 MM sanding belts
- Includes in-line air regulator for quick speed adjustments

Belt Size: 330 x 10 or 12 MM
Free Speed: 15,000 RPM
Weight: 0.73 Kg



SWIVEL INLET WITH REGULATOR

\$465

PN: SI2740

20 MM Belt Sander

Belt Size: 520 x 20 MM
Free Speed: 15,000 RPM
Weight: 1.43 Kg



\$599

SI2800

30 MM Belt Sander

Belt Size: 540 x 30 MM
Free Speed: 10,000 RPM
Weight: 2.02 Kg



\$899

PN: SI2830

10 MM Ceramic Sanding Belts

40 Grit 10 MM x 330 MM Pkt 10

PN: AB2700-40CP

60 Grit 10 MM x 330 MM Pkt 10

PN: AB2700-60CP

80 Grit 10 MM x 330 MM Pkt 10

PN: AB2700-80CP

120 Grit 10 MM x 330 MM Pkt 10

PN: AB2700-120CP

20 & 30 MM Ceramic sanding belts also available.



Packs of 10

\$35 EA

Die Grinders

1/4" Heavy Duty Angle Head Die Grinder

Free Speed: 20,000 RPM
Length: 162 MM
Weight: 0.56 Kg

\$425

PN: SI2005HD



1/4" Small Die Grinder

Free Speed: 27,000 RPM
Length: 151 MM
Weight: 0.37 Kg

\$269

PN: SI2002EX



1/4" Medium Die Grinder

Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.60 Kg

\$259

PN: SI2011S



1/4" Medium Die Grinder

Free Speed: 25,000 RPM
Length: 170 MM
Weight: 0.37 Kg

\$269

PN: SI2012EX



1/4" High Torque Die Grinder

Free Speed: 5,500 RPM
Length: 170 MM
Weight: 0.60 Kg

\$349

PN: SI2015A



1/4" Extended Die Grinder

Free Speed: 24,000 RPM
Length: 326 MM
Weight: 1.34 Kg

\$465

PN: SI2022S



morrisflex

- Precision CNC & brazed.
- 1/4" Shank
- Made in Europe

\$165

PN: CBSET3

3/8" Head 3 Piece Set



Carbide Burr Sets

1/4" & 3/8" Head 8 Piece Set

\$339

PN: CBSET8



Cutting Tools

3" Cut Off Grinder



Length: 196 MM
Free Speed: 20,000 RPM
Weight: 1.00 Kg

\$269
PN: SI2033

3" Cut Off Discs Pack of 5

Stroke Length: 10 MM
Free Speed: 10,000 RPM
Length: 259 MM
Weight: 0.58 Kg



\$399
SI4700B

Quality Bi-metal Blades

- Sold in Pack of 5
- 18 TPI PN: PT301A18
- 24 TPI PN: PT301A24
- 32 TPI PN: PT301A32



\$30 EA

Air Nibbler



Free Speed: 2,600 SPM
Length: 175 MM
Weight: 1.00 Kg

\$485
PN: SI4600

Multifunction Mini Saw & File

Stroke Length: 5 MM
Free Speed: 10,500 RPM
Length: 148 MM
Weight: 0.52 Kg

5MM Stroke



\$485
PN: SI4740

Uses Files & Saw Blades!

105 MM Files to suit SI4740
• 5 MM shank

- Triangular PN: 506P-56T
- Round PN: 506P-56R
- Flat PN: 506P-56S



\$30 EA

Quick Change Sanding & Stripping Kits

Kits include:
2" Disc Sander
Free Speed: 17,000 RPM
Weight: 0.49 Kg
(PN: SI2201)

Ceramic Sanding Abrasives

Quick Change Sanding & Abrasive Kit

- \$429**
PN: SI2201KIT1
- 54 piece kit includes
1 x 2" Disc Sander (PN: SI2201)
1 x 50 & 75 MM Quick-Lock Backing Pads (2 total)
5 x Fine (Blue) & Coarse (Brown) 50 MM Abrasive Disc (10 total)
5 x 36, 60, 80, 120 Grit Quick-Lock 50 MM Ceramic Sanding Disc (20 total)
2 x 60 & 80 Grit Quick-Lock 50 MM Ceramic Mini Flap Disc (4 total)
2 x Coarse (Brown) & Fine (Blue) 75 MM Abrasive Disc (4 total)
5 x 36 & 80 Grit Quick-Lock 75 MM Ceramic Sanding Disc (10 total)
2 x 40, 80 Quick-Lock 75 MM Ceramic Mini Flap Disc (4 total)

Quick Change Sanding & Stripping Kit

- \$539**
PN: SI2201KIT3
- 46 piece kit includes
1 x Disc Sander (PN: SI2201)
1 x Quick-Lock 50 & 75 MM Backing Pads
2 x 40, 60, 80, 120 Grit Quick-Lock 50 MM Ceramic Mini Flap Disc (8 total)
2 x 40, 60, 80 Grit Quick-Lock 75 MM Ceramic Mini Flap Discs (6 total)
5 x 36, 60, 80 Grit Quick-Lock 50 MM Ceramic Sanding Disc (15 total)
5 x 36 & 80 Grit Quick-Lock 75 MM Ceramic Sanding Discs (10 total)
2 x 75 & 50 MM Clean & Strip Discs (4 total)



Palm Grip Sanders

3" Mini Orbital Sander

Free Speed: 12,000 RPM
Orbit Dia.: 3 MM
Weight: 0.54 Kg

\$475
PN: SI3102



ULTRA COMPACT

6" Dual Action Sander

Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 0.94 Kg

\$589
PN: SI3101-6



100 x 75 MM Orbital Mini Palm Grip Dust-Free Pad Sander

Free Speed: 10,000 RPM
Orbit Dia.: 4 MM
Weight: 1.15 Kg

\$465
PN: SI3011A



6" Dual Action Dust-Free Sander

Free Speed: 10,000 RPM
Orbit Dia.: 5 MM
Weight: 1.29 Kg

\$699
PN: SI3111-6



Disc Sanders

Mini Dual Action Sander

- Velcro Pad
 - 2 Speed
- Free Speed: 15,000 RPM
Pad Size: 75 MM
Orbit Dia.: 3 MM
Weight: 0.52 Kg



\$310
PN: SI2110

2" Disc Sander Kit

Free Speed: 17,000 RPM
Length: 144 MM
Weight: 0.50 Kg

Includes 2 Abrasive Discs

\$259
PN: SI2201



4" High Speed Disc Sander

• 3" & 4" pads, 75 MM backing pad & abrasives
Free Speed: 19,000 RPM
Length: 167 MM
Weight: 0.99 Kg

\$289
PN: SI2210R



6" Dual Action Sander

- Velcro Pad

Free Speed: 10,000 RPM
Orbit Dia.: 7 MM
Weight: 1.82 Kg

\$299
SI3100



Angle Head Sanders

5" Angle Head Disc Sander

Spindle: 5/8 x 11 UNC
Length: 285 MM
Free Speed: 5,500 RPM
Weight: 1.50 Kg

\$515
PN: SI2026S



7" Heavy Duty Angle Sander

Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 4,500 RPM
Weight: 2.13 Kg

\$515
PN: SI2351



Needle Scalers

Straight Grip Needle Scaler

Stroke: 4.5 MM
Impact Rate: 3,500 BPM
Length: 333 MM
Weight: 2.06 Kg



\$649
PN: SI4150EX

Pistol Grip Needle Scaler

Stroke: 4.5 MM
Impact Rate: 3,300 BPM
Length: 355 MM
Weight: 2.19 Kg



\$699
PN: SI4160

Polishers

75 MM Pistol Grip Polisher

• Kit includes: Wool Buff, sponge Buff, Velcro Pad & 3 Sanding Pads
Free Speed: 4,500 RPM
Length: 147 MM
Weight: 0.64 Kg

\$389
PN: SI2221



7" Heavy Duty Angle Polisher

Spindle: 5/8 x 11 UNC
Length: 358 MM
Free Speed: 2,300 RPM
Weight: 2.13 Kg

\$515
PN: SI2451



Wet Grinders & Sanders

5" Angle Wet Grinder

- Stainless steel motor & gearbox bearings
- Water & air regulators
- Guard mounted nozzles

\$865

PN: SI2515LAWS

3-5" Wet Sander

- Waterproofed mechanism
- Water exits through spindle
- Water & air regulators

\$925

PN: SI2322WRLE

Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.65 Kg

Spindle Size: M14x2
Free Speed: 5,500 RPM
Weight: 1.32 Kg

Screwdrivers

All screwdrivers feature forward & reverse.

1/4" Screwdriver

- Adjustable clutch
- Max Torque: 3.70 Ft/Lbs
Free Speed: 2,000 RPM
Bolt Cap: 1/4"
Length: 207 MM
Weight: 1.18 Kg

\$539

PN: SI1166A

1/4" Screwdriver

- Adjustable clutch

Max Torque: 6.60 Ft/Lbs
Free Speed: 800 RPM
Bolt Cap: 5/16"
Length: 229 MM
Weight: 1.35 Kg

\$649

PN: SI1166-8A

Ratchet Wrenches

1/4" Mini Ratchet Wrench

Max Torque: 31 Ft/Lbs
Length: 168 MM
Weight: 0.54 Kg

\$299

PN: SI1217EX

3/8" Mini Ratchet Wrench

Max Torque: 35 Ft/Lbs
Length: 168 MM
Weight: 0.54 Kg

\$299

PN: SI1218EX

3/8" Through Ratchet

Includes 8, 10, 11, 12, 13 & 14 mm sockets, 3/8" square drive.
Max Torque: 33 Ft/Lbs
Length: 211 MM
Weight: 0.54 Kg

\$585

PN: SI1288S

IDEAL FOR
HARD TO ACCESS
NUTS & BOLTS

3/8" Ratchet Wrench

Max Torque: 85 Ft/Lbs
Length: 263 MM
Weight: 1.15 Kg

\$319

PN: SI1340EX

1/2" Ratchet Wrench

Max Torque: 85 Ft/Lbs
Length: 263 MM
Weight: 1.15 Kg

\$319

PN: SI1345EX

1/2" Heavy Duty Ratchet

Max Torque: 118 Ft/Lbs
Length: 368 MM
Weight: 1.95 Kg

\$539

PN: SI1435

Air Tool Oil

Add only a couple of drops daily to greatly reduce internal wear and maintain the integrity of the gaskets and seals

\$13

PN: SI250

\$27

PN: SI1000

\$97

PN: SI5000

\$299

PN: SI20LT



Angle Grinders

4" Angle Grinder

Spindle Size: M10 x 1.5
Free Speed: 12,700 RPM
Weight: 1.82 Kg

\$585

PN: SI2500L

- Governed for optimal disc RPM

5" Angle Grinder

Spindle Size: M14x2
Free Speed: 12,000 RPM
Weight: 1.65 Kg

\$599

PN: SI2515LA

- Governed for optimal disc RPM
- Spindle Lock

7" Angle Grinder

Free Speed: 7,500 RPM
Length: 337 MM
Weight: 3.24 Kg

\$799

SI2600L

- Speed governed for optimal disc RPM
- Spline disc receiver and nut

Drills

3/8" Compact Drill

- Non-reversible
- Chuck Size: 10 MM
Free Speed: 2,600 RPM
Length: 130 MM
Weight: 0.79 Kg

\$279

PN: SI5500

3/8" Straight Drill

- Chuck Size: 10 MM
Free Speed: 6,000 RPM
Length: 231 MM
Weight: 1.06 Kg

\$415

PN: SI2015AD

3/8" H-Duty Reversible Drill

- Chuck Size: 10 MM
Free Speed: 2,000 RPM
Length: 132 MM
Weight: 1.02 Kg

\$399

SI5305A

1/2 Capacity Reversible Keyed Drill

- Chuck Size: 13 MM
Free Speed: 800 RPM
Length: 155 MM
Weight: 1.45 Kg

\$565

PN: SI5305-8A

Heavy Duty Impact Wrenches

1" H-Duty Impact Wrench

- Max Torque: 1,840 Ft/Lbs
Bolt Cap: 41 MM
Length: 285 MM
Weight: 10.9 Kg

\$1,599

PN: SI1860

1" H-Duty D-Handle Impact Wrench

- Max Torque: 1,770 Ft/Lbs
Bolt Cap: 41 MM
Length: 350 MM
Weight: 10.6 Kg

\$1,599

PN: SI1870

3 Handle
Positions

Also available with 6" anvil (SI1876) or 8" anvil (SI1878). Call for pricing.

1" H-Duty Impact Wrench

- Max Torque: 2430 Ft/Lbs
Bolt Cap: 46 MM
Length: 420 MM
Weight: 15.4 Kg

\$2,049

PN: SI1880

8" Anvil

\$2,379

PN: SI1888

1-1/2" H-Duty Impact Wrench

- Max Torque: 4,060 Ft/Lbs
Bolt Cap: 55 MM
Length: 510 MM
Weight: 18.0 Kg

\$3,195

PN: SI1900



November 2024 - February 2025
Prices include GST.

Distributed by:



"We supply more than just Bearings"
Laverton North & North Geelong
9314 2555 | 5278 9789
www.rollingbearingswest.com.au

SHINANO INDUSTRIAL TOOLS

Specifically designed for reliable operation and long service life in the harshest working environments.



2" Industrial Angle Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Spindle: 1/4" UNF x 9.5 MM
Length: 170 MM
Weight: 0.64 Kg

\$495
PN: SI-AG2-U2P

5" Industrial Angle Grinder

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Length: 285 MM
Weight: 2.08 Kg

\$759
PN: SI-AG5-E3L

4" Industrial Angle Grinder

Free Speed: 13,500 RPM
Output: 600 Watts
Spindle: M8 x 15.8 MM
Length: 276 MM
Weight: 1.89 Kg

\$679
PN: SI-AG4-A2L

7" Industrial Angle Grinder

Free Speed: 7,600 RPM
Output: 1000 Watts
Spindle: 5/8" UNC x 22.2 MM
Length: 285 MM
Weight: 3.3 Kg

\$889
PN: SI-AG7-E5L

High Spec Collet

The High Spec Collets grips entire length of the burr shank. This reduces run-out, which improves cutting efficiency and extends the service life of the burr.

NOT included with SI-SG3-CL.



Silencer Hose

In addition to significantly reduced noise levels, the 50 cm silencer hose expels any moisture or oil that may be in exhaust air away from the work piece.

Mini Industrial Angle Die Grinder

Free Speed: 20,000 RPM
Output: 200 Watts
Collet Size: 1/4"
Length: 166 MM
Weight: 0.57 Kg

\$425
PN: SI-AG20E-6L



Industrial Angle Die Grinder

Free Speed: 15,000 RPM
Output: 240 Watts
Collet Size: 1/4"
Length: 170 MM
Weight: 0.64 Kg

• Spindle lock button for easy burr replacement



\$495
PN: SI-AG2-C2P

Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 150 MM
Weight: 0.38 Kg

\$349
PN: SI-SG20E-6L

Extended Mini Industrial Die Grinder

Free Speed: 28,000 RPM
Output: 180 Watts
Collet Size: 1/4"
Length: 284 MM
Weight: 0.68 Kg

\$449
PN: SI-SG20E-6LL

Straight Industrial Die Grinder

• High powered tool for confined work areas
• High Spec Collet NOT included.

Free Speed: 14,000 RPM
Output: 520 Watts
Collet Size: 1/4"
Length: 346 MM
Weight: 1.53 Kg



\$689
PN: SI-SG3-CL

Industrial 6" Dual Action Sander

• Powerful 485 Watt motor with adjustable power setting
• Handle exhaust
Free Speed: 11,200 RPM
Pad/Disc Size: 150 MM (6")
Spindle Size: 5/16-24 UNF
Orbit Dia: 6 MM



\$499
SI-DS6-6L

Industrial Edge Profilers

- Quickly & easily machine consistent radiused edges (meets and exceeds IMO's PSPC regs.).
- 3 Carbide tips, each with 8 cutting edges for cost-effective operation.
- Suitable for use on aluminium, structural grade steel and most types of stainless steel.



Guide Plate: 100 MM
Head Height: 113 MM
Free Speed: 10,000 RPM
Output: 600 Watts
Profile Radius: 3 MM
Min. Corner Radius: 17 MM
Length: 250 MM

\$1,495
PN: SI-4011L

Guide Plate: 150 MM
Head Height: 142 MM
Free Speed: 10,000 RPM
Output: 900 Watts
Profile Radius: 3 MM
Min. Corner Radius: 17 MM
Length: 250 MM

\$1,495
PN: SI-4010L

5" Industrial Wet Angle Grinder

- Adjustable disc RPM & water feed

Free Speed: 12,000 RPM
Output: 800 Watts
Spindle: M14 x 22.2 MM
Length: 285 MM
Weight: 2.25 Kg

Water injection through guard



7" Version Available

\$1,095
PN: SI-AG5-E3LWS

Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 187 MM
Weight: 0.71 Kg

\$389
PN: SI-SG60E-6L



Extended Industrial Die Grinder

Free Speed: 25,000 RPM
Output: 650 Watts
Collet Size: 1/4"
Length: 322 MM
Weight: 1.19 Kg

\$499

PN: SI-SG60E-6LL



2.5" Industrial Straight Grinder

- Accepts 65x13mm grinding wheels

Free Speed: 14,600 RPM
Output: 520 Watts
Spindle: 9.35 MM
Length: 316 MM
Weight: 1.53 Kg

\$689
PN: SI-SG3-2L

3" Industrial Straight Grinder

- Accepts 75x13mm grinding wheels

Free Speed: 12,700 RPM
Output: 520 Watts
Spindle: 9.35 MM
Length: 316 MM
Weight: 1.7 Kg

\$689
PN: SI-SG3-3L

